


PRACTICAL 1

QUES1. Graph each of the following functions.

a) $f(x)=x/(1+x^2)$


```
In[1]:= f[x_] :=  $\frac{x}{1+x^2}$ ;
```

```
In[2]:= Plot[f[x], {x, 5, -5}]
```



b) $y=x \sin(1/x)$


```
In[4]:= y[x_] := x Sin[1/x];  
Plot[x Sin[1/x], {x, 1/π, -1/π}]
```



```
In[6]:=
```

c) $g(x,y)=\cos(x)+\sin(y)$


In[7]:= `Plot3D[Cos[x] + Sin[y], {x,  $\pi$ ,  $-\pi$ }, {y,  $\pi$ ,  $-\pi$ }]`



(d) $z = \frac{xy}{x^2 + y^2}$

Out[8]= $\frac{xy}{x^2 + y^2}$

In[9]:= `Plot3D[ $\frac{xy}{x^2 + y^2}$ , {x, 10, -10}, {y, 10, -10}]`



QUESTION 2 :

Let $f(x) = x / (1 + x^2)$.

```
In[11]:= f[x_] := x / (1 + x ^ 2)
f'[x]
```

$$\text{Out[12]} = -\frac{2x^2}{(1+x^2)^2} + \frac{1}{1+x^2}$$

```
In[14]:= f''[x]
```

$$\text{Out[14]} = \frac{8x^3}{(1+x^2)^3} - \frac{6x}{(1+x^2)^2}$$

b) Find $f'(-1)$ and $f'(0)$

```
In[15]:= f'[-1]
```

```
Out[15]= 0
```

```
In[16]:= f'[0]
```

```
Out[16]= 1
```

c) Find $f''(0)$ and $f''(1)$

```
In[17]:= f''[0]
```

```
Out[17]= 0
```

```
In[18]:= f''[1]
```

$$\text{Out[18]} = -\frac{1}{2}$$

Ques3). Find the prime factorization of each integer.

a) 3527218133309949276293

```
In[19]:= FactorInteger [ 3 527 218 133 309 949 276 293 ]
```

```
Out[19]= {{15 013 , 2}, {25 013 , 3}}
```

(b) 471945325930166269

```
In[35]:= FactorInteger [ 471 945 325 930 166 269 ]
```

```
Out[35]= {{4211 , 1}, {34 589 , 1}, {46 747 , 1}, {69 313 , 1}}
```

(c) 471945325930166281

```
In[36]:= FactorInteger [ 471 945 325 930 166 281 ]
```

```
Out[36]= {{471 945 325 930 166 281 , 1}}
```

Ques4. Compute each expression. Do you notice a pattern?

(a) $3^6 \bmod 7$

In[21]:= **PowerMod[3, 6, 7]**

Out[21]= 1

(b) $6^{10} \bmod 11$

In[22]:= **PowerMod[6, 10, 11]**

Out[22]= 1

(c) $7^{20} \bmod 21$

In[23]:= **PowerMod[7, 20, 21]**

Out[23]= 7

(d) $7^{22} \bmod 23$

In[24]:= **PowerMod[7, 22, 23]**

Out[24]= 1

Q8. Let $M = \{\{1, 1\}, \{0, 1\}\}$

(a) Find $M^2, M^3, \dots, M^{10}$.

In[25]:= **M = {{1, 1}, {1, 0}}**

Out[25]= {{1, 1}, {1, 0}}

In[26]:= **Table[MatrixPower[M, n], {n, 2, 10}]**

Out[26]= {{2, 1}, {1, 1}}, {{3, 2}, {2, 1}}, {{5, 3}, {3, 2}}, {{8, 5}, {5, 3}}, {{13, 8}, {8, 5}},
{{21, 13}, {13, 8}}, {{34, 21}, {21, 13}}, {{55, 34}, {34, 21}}, {{89, 55}, {55, 34}}

In[27]:= **Fibonacci[100, M]**

Out[27]= {{354 224 848 179 261 915 075 , 354 224 848 179 261 915 075 }, {354 224 848 179 261 915 075 , 0}}

In[28]:= **Fibonacci[100]**

Out[28]= 354 224 848 179 261 915 075

Q9. Find solutions to the following equations or systems of equations.

(a) Find x , if $x^2 + x = 1$.

In[29]:= **Solve[x^2 + x == 1, x]**

Out[29]= $\left\{ \left\{ x \rightarrow \frac{1}{2}(-1 - \sqrt{5}) \right\}, \left\{ x \rightarrow \frac{1}{2}(-1 + \sqrt{5}) \right\} \right\}$

(b) Find x , if $x^2 + x = -1$

In[30]:= **Solve[x^2 + x == -1, x]**

Out[30]= $\left\{ \left\{ x \rightarrow -(-1)^{1/3} \right\}, \left\{ x \rightarrow (-1)^{2/3} \right\} \right\}$

(c) Find x and y . $4x - 3y = 5$ and $6x + 2y = 14$

In[31]:= **Solve**[4 x - 3 y == 5 && 6 x + 2 y == 14, {x, y}]

Out[31]= {{x → 2, y → 1}}

(d) Find x,y,z and t.

-2x-2y+3z+t=8, -3x+0y-6z+t=-19, 6x-8y+6z+5t=47, x+3y-3z-t=-9.

In[32]:= **Solve**[-2 x - 2 y + 3 z + t == 8 &&

-3 x + 0 y - 6 z + t == -19 && 6 x - 8 y + 6 z + 5 t == 47 && x + 3 y - 3 z - t == -9]

Out[32]= {{t → 5, x → 2, xy → 15, y → 1}}

Q10. Solve this equation for r.

In[3]:= **Findroot**[250 * e^r + 300 * e^0.75 r + 350 * e^0.5 r + 400 * e^0.25 r == 1365, {r, 0}]

Out[3]= Findroot[250 e^r + 1725.76 r == 1365, {r, 0}]

Q11. Write a function called mysqrt that accepts one argument, begins with an initial guess of 1.0, 0 finds 20 new guesses, and returns the answer.

In[1]:= **mysqrt**[n_] := Module[{i = 1, g = 1}, While[i ≤ 20, g = $\frac{1}{2} \left(g + \frac{n}{g} \right)$; i = i + 1]; g]

In[2]:= **N**[**mysqrt**[2], 6]

Out[2]= 1.41421

In[4]:= **N**[**Sqrt**[2], 6]

Out[4]= 1.41421

In[5]:= **N**[**mysqrt**[3]]

Out[5]= 1.73205

Q12. (a) Write a function called collatz that accepts a single argument, n, and returns:

- 0 if n=1,
- 1+ collatz(n/2) if n is even.
- 1+ collatz(3*n+1) if n is odd